

JUL 17 2008

Application No. 10/006,593

Docket No.: ALEX-P01-054

LISTING OF THE CLAIMS

This listing of the claims will replace all prior versions, and listings, of the claims in the application.

1. (previously presented) An immunoglobulin molecule or fragment thereof comprising a complementarity determining region (CDR), wherein a thrombopoietin (TPO) mimetic replaces a single portion of said CDR, said portion comprising one or more contiguous amino acid residues, wherein the immunoglobulin molecule or fragment thereof binds to and agonizes TPO receptor.
2. (original) An immunoglobulin molecule or fragment thereof according to claim 1 further comprising at least one flanking sequence including at least one amino acid covalently linked to at least one end of the peptide mimetic.
3. (original) An immunoglobulin molecule or fragment thereof according to claim 2 wherein the at least one flanking sequence includes a flanking sequence having a proline that is covalently linked to the peptide mimetic.
4. (canceled)
5. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 1 wherein the immunoglobulin molecule fragment is selected from the group consisting of Fab fragment, F(ab')₂ fragment and scFv fragment.
6. (original) An immunoglobulin molecule or fragment thereof according to claim 1 wherein the immunoglobulin molecule is a full IgG molecule.
7. (original) An immunoglobulin molecule or fragment thereof according to claim 1 wherein the CDR is located on a light chain.
8. (original) An immunoglobulin molecule or fragment thereof according to claim 1 wherein the CDR is located on a heavy chain.

Application No. 10/006,593

Docket No.: ALEX-P01-054

9. (original) An immunoglobulin molecule or fragment thereof according to claim 1 wherein the CDR is selected from the group consisting of a CDR3 of a heavy chain and a CDR2 of a light chain.

10. (original) An immunoglobulin molecule or fragment thereof according to claim 1 wherein the CDR is selected from the group consisting of CDR3 of a heavy chain and CDR2 of a heavy chain.

11. (original) An immunoglobulin molecule or fragment thereof according to claim 1 wherein the CDR is selected from the group consisting of CDR3 of a heavy chain and CDR1 of a light chain.

Claims 12-17 (canceled).

18. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 1 wherein the TPO mimetic comprises the amino acid sequence set forth in SEQ. ID. NO. 1.

19. (original) An immunoglobulin molecule or fragment thereof according to claim 3 wherein the CDR is replaced with a peptide having a sequence including that set forth in SEQ. ID. NO. 2.

20. (withdrawn) An immunoglobulin molecule or fragment thereof according to claim 2 wherein the CDR is replaced with a peptide comprising an amino acid sequence selected from the group consisting of SEQ. ID. NO. 25, SEQ. ID. NO. 27, SEQ. ID. NO. 29, SEQ. ID. NO. 31, SEQ. ID. NO. 33, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, SEQ. ID. NO. 47, and SEQ. ID. NO. 49.

21. (withdrawn) An immunoglobulin molecule or fragment thereof according to claim 2 wherein the CDR is replaced with a peptide comprising an amino acid sequence selected from the group consisting of SEQ. ID. NO. 31, SEQ. ID. NO. 35, SEQ. ID. NO. 37, SEQ. ID. NO. 39, SEQ. ID. NO. 41, SEQ. ID. NO. 43, SEQ. ID. NO. 45, and SEQ. ID. NO. 49.

Application No. 10/006,593

Docket No.: ALEX-P01-054

22. (original) An immunoglobulin molecule or fragment thereof according to claim 1 wherein the immunoglobulin molecule or fragment thereof is human.

23. (original) An immunoglobulin molecule or fragment thereof according to claim 22 wherein the immunoglobulin molecule or fragment thereof is anti-tetanus toxoid.

Claims 24-35 (canceled).

36. (original) A composition comprising an immunoglobulin or fragment thereof according to claim 1 and a pharmaceutically acceptable carrier.

Claims 37-43 (canceled).

44. (previously presented) An immunoglobulin molecule or fragment thereof comprising a CDR, wherein a biologically active peptide flanked with a proline at the carboxy terminus of the biologically active peptide replaces a single portion of said CDR, said portion comprising one or more contiguous amino acid residues, to create a resulting immunoglobulin molecule or fragment thereof, wherein said biologically active peptide has a biological activity and wherein the resulting immunoglobulin molecule or fragment thereof exhibits the biological activity of the biologically active peptide.

Claims 45-84 (canceled).

85. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 44 wherein the biologically active peptide is flanked with a proline at its carboxy terminus and flanked with an amino acid sequence at its amino terminus.

86. (previously presented) An immunoglobulin molecule or fragment thereof comprising a CDR, wherein a biologically active peptide replaces a single portion of said CDR, said portion comprising one or more contiguous amino acid residues, wherein the biologically active peptide is flanked at its carboxy terminus with an amino acid sequence selected from the group consisting of proline-valine, proline-aspartic acid, proline-isoleucine, serine-asparagine, serine-lysine, serine-

Application No. 10/006,593

Docket No.: ALEX-P01-054

glycine, serine-arginine, leucine-histidine, leucine-glutamic acid, leucine-alanine, leucine-phenylalanine, valine-glutamine, valine-serine, valine-alanine, valine-asparagine, isoleucine-serine, isoleucine-tyrosine, asparagine-proline, asparagine-serine, asparagine-tryptophan, asparagine-valine, phenylalanine-valine, threonine-serine, methionine-alanine, arginine-serine, arginine-glycine, arginine-threonine, arginine-leucine, arginine-valine, tryptophan-arginine, tryptophan-tryptophan, alanine-arginine, aspartic acid-valine, glycine-tyrosine, glutamine-arginine, and glycine-lysine, to create a resulting immunoglobulin molecule or fragment thereof, wherein said biologically active peptide has a biological activity and wherein the resulting immunoglobulin molecule or fragment thereof exhibits the biological activity of the biologically active peptide.

87. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 44 wherein the biologically active peptide is flanked at its carboxy terminus with an amino acid sequence selected from the group consisting of proline-valine, proline-aspartic acid, proline-isoleucine, and asparagine-proline.

88. (canceled)

89. (original) An immunoglobulin molecule or fragment thereof according to claim 85 wherein the biologically active peptide is flanked at its amino terminus with an amino acid sequence selected from the group consisting of tryptophan-leucine, valine-valine, glycine-proline, leucine-proline, leucine-tyrosine, serine-leucine, serine-isoleucine, serine-proline, threonine-methionine, threonine-tyrosine, threonine-proline, glutamine-threonine, glutamine-glutamic acid, glutamine-leucine, arginine-methionine, arginine-asparagine, arginine-threonine, arginine-glycine, arginine-serine, lysine-glutamic acid, lysine-glycine, alanine-histidine, histidine-glycine, histidine-leucine and asparagine-proline.

Claims 90-95 (canceled).

96. (previously presented) An immunoglobulin molecule or fragment thereof comprising a complementarity determining region (CDR), wherein a peptide comprising SEQ ID NO. 2 replaces a single portion of said CDR, said portion comprising one or more contiguous amino acid

Application No. 10/006,593

Docket No.: ALEX-P01-054

residues, and wherein the immunoglobulin molecule or fragment thereof binds to and agonizes a TPO receptor.

97. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 2 wherein the flanking sequence consists of two amino acids.

98. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 3 wherein the flanking sequence consists of two amino acids.

99. (previously presented) An immunoglobulin molecule or fragment thereof comprising a CDR, wherein an agonist peptide mimetic replaces a single portion of said CDR, said portion comprising one or more contiguous amino acid residues, and wherein the resulting immunoglobulin molecule or fragment thereof binds to and agonizes a receptor.

100. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 99 further comprising at least one flanking sequence including at least one amino acid covalently linked to at least one end of the peptide mimetic.

101. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 100 wherein the at least one flanking sequence includes a flanking sequence having a proline that is covalently linked to the peptide mimetic.

102. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 100 wherein the flanking sequence consists of two amino acids.

103. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 101 wherein the flanking sequence consists of two amino acids.

104. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 99 wherein the immunoglobulin molecule fragment is selected from the group consisting of Fab fragment, F(ab')₂ fragment and scFv fragment.

Application No. 10/006,593

Docket No.: ALEX-P01-054

105. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 99 wherein the immunoglobulin molecule is a full IgG molecule.

106. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 99 wherein the CDR is located on a heavy chain.

107. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 99 wherein the CDR is located on a light chain.

108. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 99 wherein the CDR is selected from the group consisting of CDR3 of a heavy chain and CDR2 of a heavy chain.

109. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 99 wherein the CDR is selected from the group consisting of CDR3 of a heavy chain and CDR1 of a light chain.

110. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 99 wherein the immunoglobulin molecule or fragment thereof is human.

111. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 99 wherein the immunoglobulin molecule or fragment thereof is anti-tetanus toxoid.

112. (previously presented) A composition comprising an immunoglobulin or fragment thereof according to claim 99 and a pharmaceutically acceptable carrier.

113. (previously presented) An immunoglobulin molecule or fragment thereof comprising a complementarity determining region (CDR), wherein an erythropoietin (EPO) mimetic replaces a single portion of said CDR, said portion comprising one or more contiguous amino acid residues, wherein the immunoglobulin molecule or fragment thereof binds to and agonizes an EPO receptor.

Application No. 10/006,593

Docket No.: ALEX-P01-054

114. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 113 further comprising at least one flanking sequence including at least one amino acid covalently linked to at least one end of the peptide mimetic.

115. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 114 wherein the at least one flanking sequence includes a flanking sequence having a proline that is covalently linked to the peptide mimetic.

116. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 113 wherein the immunoglobulin molecule fragment is selected from the group consisting of Fab fragment, F(ab')₂ fragment and scFv fragment.

117. (previously presented) An immunoglobulin molecule according to claim 113 wherein the immunoglobulin molecule is a full IgG molecule.

118. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 113 wherein the CDR is located on a light chain.

119. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 113 wherein the CDR is located on a heavy chain.

120. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 113 wherein the CDR is selected from the group consisting of a CDR3 of a heavy chain and a CDR2 of a light chain.

121. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 113 wherein the CDR is selected from the group consisting of CDR3 of a heavy chain and CDR2 of a heavy chain.

122. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 113 wherein the CDR is selected from the group consisting of CDR3 of a heavy chain and CDR1 of a light chain.

Application No. 10/006,593

Docket No.: ALEX-P01-054

123. (currently amended) An immunoglobulin molecule or fragment thereof according to claim 113 wherein the EPO mimetic corresponds to the sequence set forth in SEQ. ID. NO. 3.

124. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 113 wherein the immunoglobulin molecule or fragment thereof is human.

125. (previously presented) An immunoglobulin molecule or fragment thereof according to claim 124 wherein the immunoglobulin molecule or fragment thereof is anti-tetanus toxoid.

126. (currently amended) A composition comprising an immunoglobulin molecule or fragment thereof according to claim 113 and a pharmaceutically acceptable carrier.